

Table 3.3.6. Other HIV Blinded Seroprevalence Surveys Conducted by the Tennessee Department of Health (Continued)

Characteristics of Local Seroprevalence Survey Overall Prevalence					Prevalence by Sex and Race(%)			
					Males		Females	
Sentinel Population/Site	Time Frame	Total Number Tested ¹	Total Number Positive ²	Overall Prevalence (Percentage)	White	Black	White	Black
Nashville	2Q/88	300	9	3.0	6.7 (n=60)	3.5 (n=145)	-- (n=34)	-- (n=55)
	3Q/88	218	6	2.8	6.5 (n=31)	3.9 (n=103)	-- (n=22)	-- (n=61)
	4Q/88	299	5	1.7	4.4 (n=46)	1.3 (n=149)	-- (n=29)	1.4 (n=72)
	2Q/89-3Q/89	300	0	--	-- (n=57)	-- (n=159)	-- (n=17)	-- (n=67)
	4Q/89	277	4	1.4	2.5 (n=40)	1.8 (n=163)	-- (n=19)	-- (n=51)
	2Q/91	295	7	2.4	2.4 (n=42)	5.1 (n=117)	-- (n=45)	1.3 (n=80)
	3Q/91	300	8	2.7	2.6 (n=38)	3.0 (n=134)	2.2 (n=45)	1.2 (n=82)
	4Q/91	297	3	1.0	2.6 (n=39)	1.4 (n=139)	-- (n=37)	-- (n=75)
	4Q/92	297	8	2.7	4.0 (n=50)	3.1 (n=129)	-- (n=45)	2.9 (n=70)
	Total³	2,583	50	1.9	3.5 (n=403)	2.6 (n=1238)	0.25 (n=293)	0.75 (n=607)
Tuberculosis Clinic Memphis	3Q/88-2Q/89	81	2	2.5	-- (n=14)	4.0 (n=50)	-- (n=5)	-- (n=12)
	3Q/89-2Q/90	68	0	--	-- (n=10)	-- (n=35)	-- (n=3)	-- (n=19)
	2Q/90-2Q/91	300	1	0.3	-- (n=25)	0.8 (n=123)	-- (n=28)	-- (n=87)
	3Q/91-2Q/92	218	1	0.5	5.6 (n=18)	-- (n=83)	-- (n=12)	-- (n=75)
	Total	667	4	0.6	1.5 (n=67)	1.0 (n=291)	-- (n=48)	-- (n=193)
Homeless Clinic Memphis	1Q/91-4Q/91	138	3	2.2	3.2 (n=31)	1.5 (n=67)	-- (n=19)	5.3 (n=19)
	1Q/92-4Q/92	109	0	--	-- (n=22)	-- (n=43)	-- (n=16)	-- (n=25)
	Total	247	3	1.2	1.9 (n=53)	0.9 (n=110)	-- (n=35)	2.3 (n=44)
Rapid Assessment of Prevalence Memphis/Shelby County		12/95	999	26	2.6	4.1 (n=73)	3.8 (n=508)	-- (n=66)
Chattanooga/Hamilton County		12/95-2/96	1,020	15 ⁶	1.5	3.7 (n=217)	1.7 (n=294)	-- (n=240)
								0.5 (n=221)

Source: TDH, STD/HIV Program.

¹ Total number tested includes only those testing seropositive or seronegative. It does not include the number of tests whose results were not available or were inconclusive.

² Total number positive are those positive on the Western blot assay only.

³ Survey periods for this study are irregular; generally, clinic patrons were surveyed during one to two months of each quarter. Variations in number of patrons surveyed should not be interpreted as variations in clinic patronage.

⁴ Total includes 9 females for whom race is unknown.

⁵ Total includes 10 females for whom race is unknown.

⁶ Of those tested 16.5% were white females, 82% were black, 1.5% were other races.

⁷ Note partial survey period.

⁸ 15 of unknown races; no persons of other race are HIV positive.

⁹ Total includes persons tested of unknown race.